

Hobo Presoak Booster

Safety Data Sheet

Revision Date: 1/4/2021

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Trade Name Hobo Presoak Booster
Product Form Mixture
Product Code 10-00007

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Product Alkaline Booster

1.3 Details of the Supplier of the safety data sheet

Manufacture for:
WESTECH SUPPLY COMPANY
1706 N NASHVILLE
LUBBOCK, TX 79415
(806) 771-9999

1.4 Emergency telephone number

Emergency Number (806) 771-9999

SECTION 2: Hazards Identification

2.1 Classification of the substance

Classification

<u>Hazard Code</u>	<u>Hazard Class</u>	<u>Hazard Category</u>
H302	Acute toxicity, oral	4
H315	Skin corrosion/irritation	2
H317	Sensitization, skin	1
H318	Serious eye damage/eye irritation	1
H332	Acute toxicity, inhalation	4
H401	Hazardous to the aquatic environment, acute toxicity	2
H411	Hazardous to the aquatic environment, chronic toxicity	2

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFEETY PRACTICES

2.2 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US): **Danger**

Hazard Statements (GHS-US):

H302: Harmful if swallowed
H315: Causes skin irritation
H317: May cause allergic skin reaction
H318: Causes serious eye damage
H332: Harmful if inhaled
H401: Toxic to aquatic life
H411: Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US):

P261: Avoid breathing dust/fumes/gas/mist/spray
P264: Wash thoroughly after handling
P270: Do not eat, drink or smoke when using this product

Hobo Presoak Booster

Safety Data Sheet

- P271: Use only outdoors or in a well-ventilated area
- P272: Contaminated work clothing should not be allowed out of the workplace
- P273: Avoid release into the environment
- P280: Wear protective gloves/protective clothing/eye protection/face protection
- P310: Immediately call a POISON CENTER or doctor/physician
- P321: Specific treatment (see section 4)
- P330: Rinse mouth
- P362: Take off contaminated clothing and wash before reuse
- P391: Collect spillage
- P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P302+P352: IF ON SKIN: Wash with soap and water
- P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
- P333+P313: If skin irritation or a rash occurs: Get medical advice/attention
- P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3 Other Hazards

No additional information available

2.4 Unknown acute toxicity (GHS-US)

No Data Available

SECTION 3: Composition/Information on Ingredients

3.1 Substance

Not applicable

3.2 Mixture

Ingredient Name	CAS #	Composition
Nonylphenol, ethoxylated	127087-87-0	50-75%
Water	7732-18-5	15-25%
2-butoxyethanol	111-76-2	15-25%
b-Alanine, N-(2-carboxyethyl)-N-[3-(ecyloxy)propyl]-, monosodium salt	64972-19-6	5-10%
Glycol Ethers	Proprietary	1-5%
Sulfonic acids, C14-16-alkane hydroxy and C14-16 alkene, sodium	68439-57-6	1-5%

SECTION 4: First Aid Measures

4.1 Description of first aid measures

First-Aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid after inhalation	IF INHALED. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.
First-Aid after skin contact	IF ON SKIN. Wash with soap and water. Immediately rinse with plenty of water (for at least 15 minutes).
First-Aid after eye contact	IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If irritation persists, seek medical attention.
First-Aid after ingestion	IF SWALLOWED. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Hobo Presoak Booster

Safety Data Sheet

Symptoms/injuries	Harmful if swallowed. Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage. Harmful if inhaled.
Symptoms/injuries after inhalation	Harmful if inhaled.
Symptoms/injuries after skin contact	Causes skin irritation. May cause allergic skin reaction.
Symptoms/injuries after eye contact	Causes serious eye damage.
Symptoms/injuries after ingestion	Harmful if swallowed.
Chronic symptoms	No data available.

4.3 Indication of immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2 Special hazards arising from the substance or mixture

Fire Hazard	The product is not flammable.
Explosion Hazard	The product is not explosive.
Reactivity	The product is not reactive under normal conditions.

5.3 Special hazards arising from the substance or mixture

Firefighting instructions	Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Ventilate area. Avoid breathing vapors, mist or gas. Spill should be handled by trained clean-up crews. For personal protection see Section 8.

6.1.1 For non-emergency personnel

Protective equipment	Wear Protective equipment as described in Section 8.
Emergency procedures	Contain the spill. Do not let product enter drains. Remove unnecessary personnel.

6.1.2 For emergency responders

Protective equipment Wear Protective equipment as described in Section 8.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

For containment	Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4 reference to other sections

No additional information available.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes. Avoid prolonged or repeated contact with skin. Do not breathe mist or vapor. Do not swallow. Store between 50 F & 100 F.

7.2 Conditions for safe storage, including and incompatibilities

Hobo Presoak Booster

Safety Data Sheet

Storage conditions

Store in approved containers only. Keep container in a cool, well ventilated place away from heat sources and incompatible materials (See Section 10.5). Keep container tightly closed.

7.3 Specific end uses

No additional information

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

2-Butoxyethanol, CAS # 111-76-2			
OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV
50 ppm	Not Established	Not Established	20 ppm (TWA)

8.2 Exposure Controls

Personal protective equipment

Chemical resistant gloves. Protective clothing. Safety glasses or goggles

Hand protection

Chemical resistant gloves.

Eye protection

Safety glasses or goggles.

Skin and body protection

Wear long sleeves. Wear suitable protective clothing.

Respiratory protection

Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Tinted Liquid
Color	Blue
Odor	Lemon
Odor threshold	No data available
pH	9.5
Relative Evaporation rate (butyl)	No data Available
Melting point	No data Available
Freezing point	No data Available
Boiling point	No data Available
Flash point	No Data Available
Self ignition point	No data Available
Decomposition temperature	No data Available
Flammability (solid, gas)	No data Available
Vapor pressure	No data Available
Relative vapor density at 20° C	No data Available
Relative Density	1.049 g/ml
Solubility	Water soluble
Log Pow	No data Available
Log Kow	No data Available
Viscosity: Kinematic	No data Available
Viscosity: dynamic	No data Available
Explosive properties	No data Available
Oxidizing properties	No data Available
Explosive Limits	No data Available

9.2 Exposure Controls

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

Hobo Presoak Booster

Safety Data Sheet

No dangerous reactions known under normal conditions of use.

10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions

None Known

10.4 Conditions to avoid

None known

10.5 Incompatible Materials

Avoid contact with: bases, amines, ammonia, aluminum, oxidizers, strong acids, mineral acids, acid chlorides, inorganic acids, inorganic bases, and strong oxidizers

10.6 Hazardous decomposition products

Thermal decomposition can result in: hydrocarbons, carbon oxides, organic compounds, and organic compounds which may be toxic

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral LD50: 961 mg/kg (rat) Calculated

Dermal LD50: > 2000 mg/kg (rabbit) Calculated

Inhalation LD50: 2.23 mg/l (Dust/mist (Rat)) Calculated

Skin Corrosion/irritation	Causes skin irritation
Serious eye damage/irritation	Causes serious eye damage
Respiratory or skin sensitization	May cause allergic skin reaction
Germ cell mutagenicity	Not Classified
Carcinogenicity	Not Classified
Reproductive toxicity	Not Classified
Specific organ toxicity single exposure	Not Classified
Specific organ toxicity repeated exposure	Not Classified
Aspiration hazard	Not Classified
Symptoms/injuries after inhalation	See Section 4
Symptoms/injuries after skin contact	See Section 4
Symptoms/injuries after eye contact	See Section 4
Symptoms/injuries after ingestion	See Section 4
Chronic symptoms	Not Classified

SECTION 12: Ecological information

12.1 Toxicity

No Data

12.2 Persistence and degradability

No Data

12.3 Bioaccumulative potential

No Data

12.4 Mobility in soil

No Data

12.5 Other adverse effect

No Data

SECTION 13: Disposal Considerations

13.1 Waste Treatment methods

Waste treatment methods Do not discharge to public wastewater systems without permit of pollution control authorities.
No discharge to surface waters is allowed without NPDES permit.

Hobo Presoak Booster

Safety Data Sheet

Waste disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released to the environment.

SECTION 14: Transportation information

14.1 UN number, proper shipping name, class and packaging groups.

Domestic Ground Non-Bulk Shipments

NOT DOT REGULATED

14.2 Additional information

Not available

SECTION 15: Regulatory Information

15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): 2-butoxyethanol, CAS# 111-76-2, 15-25% by wt./ Nonylphenol, ethoxylated, CAS# 127087-87-0, 50-75% by wt.

SARA 302 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

SARA 304 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): 2-butoxyethanol, CAS# 111-76-2, RQ no listed value, see 50 Federal Register 13456 for RQ lbs.

15.2.1 International regulations

No Data

15.2.2 National regulations

No Data

15.3 State Regulations

California Prop. 65

Approximate quantities by weight

- Ethylene glycol (ingested)/ developmental/ CAS# 107-21-1/ 0.1-1% by wt.
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide / female/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, male / CAS# 75-21-8/ Trace

New Jersey Right to Know

Approximate quantities by weight

- 2-BUTOXY ETHANOL/ CAS# 111-76-2/ 15-25% by wt.
- ETHYLENE GLYCOL/ CAS# 107-21-1/ 0.1-1% by wt.
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace
- COPPER/ CAS# 7440-50-8/ Trace

SECTION 16: Other Information

Other information	None
NFPA	
NFPA Health Hazard	3
NFPA Fire Hazard	0
NFPA Reactivity	1
HMIS	
Health	3
Flammability	0

Hobo Presoak Booster

Safety Data Sheet

Physical 1
Personal Protection X

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.