

Silk

Safety Data Sheet

Revision Date: 4/29/2021

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Trade Name Silk
Product Form Mixture
Product Code 10-50122

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Product Ceramic Sealant

1.3 Details of the Supplier of the safety data sheet

Manufactured for:
WESTECH SUPPLY
1706 N NASHVILLE
LUBBOCK, TX 79415
(806) 771-9999

1.4 Emergency telephone number

Emergency Number (806) 771-9999

SECTION 2: Hazards Identification

2.1 Classification of the substance

Classification

| <u>Hazard Code</u> | <u>Hazard Class</u> | <u>Hazard Category</u> |
|--------------------|--|------------------------|
| H315 | Skin corrosion/irritation | 2 |
| H317 | Sensitization, skin | 1 |
| H318 | Serious eye damage/eye irritation | 1 |
| H351 | Carcinogenicity | 2 |
| H361 | Reproductive toxicity | 2 |
| H402 | Hazardous to the aquatic environment, acute toxicity | 3 |
| H412 | Hazardous to the aquatic environment, chronic toxicity | 3 |

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFEETY PRACTICES

2.2 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US): **Danger**

Hazard Statements (GHS-US):

H315: Causes skin irritation
H317: May cause allergic skin reaction
H318: Causes serious eye damage
H351: Suspected of causing cancer
H361: Suspected of damaging fertility or the unborn child
H402: Harmful to aquatic life
H412: Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-US):

P201: Obtain special instructions before use
P202: Do not handle until all safety precautions have been read and understood
P261: Avoid breathing dust/fumes/gas/mist/spray

Silk

Safety Data Sheet

- P264: Wash thoroughly after handling
- P272: Contaminated work clothing should not be allowed out of the workplace
- P273: Avoid release into the environment
- P280: Wear protective gloves/protective clothing/eye protection/face protection
- P310: Immediately call a POISON CENTER or doctor/physician
- P321: Specific treatment (see section 4)
- P362: Take off contaminated clothing and wash before reuse
- P302+P352: IF ON SKIN: Wash with soap and water
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
- P308+P313: IF exposed or concerned: Get medical advice/attention
- P333+P313: If skin irritation or a rash occurs: Get medical advice/attention
- P405: Store locked up
- P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3 Other Hazards

No additional information available

2.4 Unknown acute toxicity (GHS-US)

No Data Available

SECTION 3: Composition/Information on Ingredients

3.1 Substance

Not applicable

3.2 Mixture

| <u>Ingredient Name</u> | <u>CAS #</u> | <u>Composition</u> |
|-----------------------------|--------------|--------------------|
| Water | 7732-18-5 | 50-75% |
| Silicone Quaternary Mixture | Proprietary | 10-20% |
| Propylene Glycol | 57-55-6 | 5-10% |
| 2-butoxyethanol | 111-76-2 | 5-10% |
| Nonylphenol, ethoxylated | 127087-87-0 | 1-5% |
| 1-butoxy-2-propanol | 5131-66-8 | 1-5% |
| Cocoamidopropyl Betaine | 70851-07-9 | 1-5% |
| Benzyl Benzoate | 120-51-4 | 1-5% |

SECTION 4: First Aid Measures

4.1 Description of first aid measures

| | |
|------------------------------|---|
| First-Aid measures general | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-Aid after inhalation | IF INHALED. Use artificial respiration and oxygen if needed. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If irritation persists, seek medical attention. |
| First-Aid after skin contact | IF ON SKIN. Wash with soap and water. Immediately rinse with plenty of water (for at least 15 minutes). |
| First-Aid after eye contact | IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If irritation persists, seek medical attention. |
| First-Aid after ingestion | IF SWALLOWED. Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately. |

4.2 Most important symptoms and effects, both acute and delayed

Silk

Safety Data Sheet

| | |
|--------------------------------------|--|
| Symptoms/injuries | Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. |
| Symptoms/injuries after inhalation | May cause headache, nausea and irritation of respiratory tract. |
| Symptoms/injuries after skin contact | Causes skin irritation. May cause allergic skin reaction. |
| Symptoms/injuries after eye contact | Causes serious eye damage. |
| Symptoms/injuries after ingestion | May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed. |
| Chronic symptoms | No data available. |

4.3 Indication of immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.

5.2 Special hazards arising from the substance or mixture

| | |
|------------------|--|
| Fire Hazard | The product is not flammable. |
| Explosion Hazard | The product is not explosive. |
| Reactivity | The product is not reactive under normal conditions. |

5.3 Special hazards arising from the substance or mixture

| | |
|--------------------------------|--|
| Firefighting instructions | Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Ventilate area. Avoid breathing vapors, mist or gas. Spill should be handled by trained clean-up crews. For personal protection see Section 8.

6.1.1 For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | Wear Protective equipment as described in Section 8. |
| Emergency procedures | Contain the spill. Do not let product enter drains. Remove unnecessary personnel. |

6.1.2 For emergency responders

Protective equipment Wear Protective equipment as described in Section 8.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| Methods for cleaning up | Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). |

6.4 reference to other sections

No additional information available.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes. Avoid prolonged or repeated contact with skin. Do not breathe mist or vapor. Do not swallow. Store between 50 F & 100 F.

7.2 Conditions for safe storage, including and incompatibilities

Silk

Safety Data Sheet

Storage conditions

Store locked up. Store in approved containers only. Keep container in a cool, well ventilated place away from heat sources and incompatible materials (See Section 10.5). Keep container tightly closed.

7.3 Specific end uses

No additional information

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

| 2-Butoxyethanol, CAS # 111-76-2 | | | |
|---------------------------------|-----------------|--------------------|--------------|
| OSHA PEL (TWA) | OSHA PEL (STEL) | OSHA PEL (Ceiling) | ACGIH-TLV |
| 50 ppm | Not Established | Not Established | 20 ppm (TWA) |

8.2 Exposure Controls

| | |
|-------------------------------|---|
| Personal protective equipment | Chemical resistant gloves. Protective clothing. Safety glasses or goggles |
| Hand protection | Chemical resistant gloves. |
| Eye protection | Safety glasses or goggles. |
| Skin and body protection | Wear long sleeves. Wear suitable protective clothing. |
| Respiratory protection | Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment. |

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|-----------------------------------|-------------------|
| Appearance | Tinted Liquid |
| Color | Pink |
| Odor | Oak & Amber |
| Odor threshold | No data available |
| pH | 7.5 |
| Relative Evaporation rate (butyl) | No data Available |
| Melting point | No data Available |
| Freezing point | No data Available |
| Boiling point | No data Available |
| Flash point | No data Available |
| Self ignition point | No data Available |
| Decomposition temperature | No data Available |
| Flammability (solid, gas) | No data Available |
| Vapor pressure | No data Available |
| Relative vapor density at 20° C | No data Available |
| Relative Density | 1.008 g/ml |
| Solubility | Water soluble |
| Log Pow | No data Available |
| Log Kow | No data Available |
| Viscosity: Kinematic | No data Available |
| Viscosity: dynamic | No data Available |
| Explosive properties | No data Available |
| Oxidizing properties | No data Available |
| Explosive Limits | No data Available |

9.2 Exposure Controls

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

Silk

Safety Data Sheet

No dangerous reactions known under normal conditions of use.

10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions

None Known

10.4 Conditions to avoid

None known

10.5 Incompatible Materials

Avoid contact with: bases, amines, ammonia, aluminum, oxidizers, strong acids, acid chlorides, inorganic acids, inorganic bases, and strong oxidizers

10.6 Hazardous decomposition products

Thermal decomposition can result in: formaldehyde, hydrocarbons, carbon oxides, nitrogen oxides, and organic compounds

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral LD50: > 2000 mg/kg (rat) Calculated

Dermal LD50: > 2000 mg/kg (rabbit) Calculated

Inhalation LD50: > 5 mg/l (Dust/mist (Rat)) Calculated

| | |
|---|---|
| Skin Corrosion/irritation | Causes skin irritation |
| Serious eye damage/irritation | Causes serious eye damage |
| Respiratory or skin sensitization | May cause allergic skin reaction |
| Germ cell mutagenicity | Not Classified |
| Carcinogenicity | Not Classified |
| Reproductive toxicity | Suspected of damaging fertility or the unborn child |
| Specific organ toxicity single exposure | Not Classified |
| Specific organ toxicity repeated exposure | Not Classified |
| Aspiration hazard | Not Classified |
| Symptoms/injuries after inhalation | See Section 4 |
| Symptoms/injuries after skin contact | See Section 4 |
| Symptoms/injuries after eye contact | See Section 4 |
| Symptoms/injuries after ingestion | See Section 4 |
| Chronic symptoms | Not Classified |

SECTION 12: Ecological information

12.1 Toxicity

No Data

12.2 Persistence and degradability

No Data

12.3 Bioaccumulative potential

No Data

12.4 Mobility in soil

No Data

12.5 Other adverse effect

No Data

SECTION 13: Disposal Considerations

13.1 Waste Treatment methods

Waste treatment methods Do not discharge to public wastewater systems without permit of pollution control authorities.
No discharge to surface waters is allowed without NPDES permit.

Silk

Safety Data Sheet

Waste disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released to the environment.

SECTION 14: Transportation information

14.1 UN number, proper shipping name, class and packaging groups.

Domestic Ground Non-Bulk Shipments

NOT DOT REGULATED

14.2 Additional information

Not available

SECTION 15: Regulatory Information

15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): 1-butoxy-2-propanol, CAS# 5131-66-8, 1-5% by wt./ Nonylphenol, ethoxylated, CAS# 127087-87-0, 1-5% by wt./ 2-butoxyethanol, CAS# 111-76-2, 5-10% by wt.

SARA 302 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

SARA 304 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): 1-butoxy-2-propanol, CAS# 5131-66-8, RQ no listed value, see 50 Federal Register 13456 for RQ lbs./ 2-butoxyethanol, CAS# 111-76-2, RQ no listed value, see 50 Federal Register 13456 for RQ lbs.

15.2.1 International regulations

No Data

15.2.2 National regulations

No Data

15.3 State Regulations

California Prop. 65

Approximate quantities by weight

- Ethylene glycol (ingested)/ developmental/ CAS# 107-21-1/ Trace
- Formaldehyde (gas)/ cancer/ CAS# 50-00-0/ Trace
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide / female/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, male / CAS# 75-21-8/ Trace

New Jersey Right to Know

Approximate quantities by weight

- PROPYLENE GLYCOL/ CAS# 57-55-6/ 5-10% by wt.
- 2-BUTOXY ETHANOL/ CAS# 111-76-2/ 5-10% by wt.
- GLYCERIN/ CAS# 56-81-5/ 0.1-1% by wt.
- ETHYLENE GLYCOL/ CAS# 107-21-1/ Trace
- CHLOROACETIC ACID/ CAS# 79-11-8/ Trace
- FORMALDEHYDE/ CAS# 50-00-0/ Trace
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace

SECTION 16: Other Information

Other information None

NFPA

NFPA Health Hazard 2

Silk

Safety Data Sheet

| | |
|---------------------|---|
| NFPA Fire Hazard | 1 |
| NFPA Reactivity | 0 |
| HMIS | |
| Health | 2 |
| Flammability | 1 |
| Physical | 0 |
| Personal Protection | X |

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.